



IOI OLEOCHEMICAL

# All lights on me! Highlight



You enjoy being the center of attention? No problem - the **All lights on me! Highlight** helps you to make a radiant appearance!

This water-free highlighter consists of a balanced combination of waxes with different melting points for high stability and easy application. The solid lipid **SOFTISAN® 154** provides additional stability whereas **SOFTISAN® 378** is responsible for the melting-on-touch sensation.

Make your skin glow and care for it at the same time. Easy - with the multifunctionals **SOFTISAN® conditionHAIR** and **SOFTISAN® 649** that not only ensure soft, but also moisturized skin and a strengthened skin barrier.

**MIGLYOL® 8810 ECO** as a polar emollient eases the pigment wetting and provides a light touch. The formulation is easy to apply. Yet, thanks to **SOFTISAN® 649**, stays where it is applied.

Vegan, high naturality, preservative-free and fragrance-free - this formula fulfills it all! Wear the **All lights on me! Highlight** on the cheekbones, as eyebrow and inner eye corner highlight, cupid's bow or in the décolleté area.



# All lights on me! Highlight

No.: 863

PHASE	TRADE NAME	INCI	%	FUNCTION
<b>A</b>	<b>MIGLYOL® 8810 ECO</b>	<b>Butylene Glycol Dicaprylate/Dicaprate</b>	<b>49.80</b>	<b>Water-light Emollient, Wetting Agent</b>
A	Syncrystal Ivory	Synthetic Fluorphlogopite (and) Tin Oxide (and) CI 77891 (and) CI 77491	12.00	Gold Pearlescent Pigment
A	Syncrystal Soft Peach	Synthetic Fluorphlogopite (and) Tin Oxide (and) CI 77891 (and) CI 77491	1.00	Golden-Peachy Pearlescent Pigment
B	6642 Organic Carnauba Wax	Copernicia Cerifera Cera	10.00	Wax (MP: 80 – 86°C)
B	6607L Sunflower Seed Wax	Helianthus Annuus Seed Cera (and) Ascorbyl Palmitate (and) Tocopherol (and) Helianthus Annuus Seed Oil	4.00	Wax (MP: 74 – 80°C)
B	6692 Rose Wax	Rosa Damascena Flower Cera	2.00	Wax (MP: 60°C)
<b>B</b>	<b>SOFTISAN® 154</b>	<b>Hydrogenated Palm Oil</b>	<b>4.00</b>	<b>Solid Lipid (MP: 53 – 58°C)</b>
<b>B</b>	<b>SOFTISAN® 378</b>	<b>Caprylic/Capric/Myristic/ Stearic Triglyceride</b>	<b>7.00</b>	<b>Melting-on-Touch Emollient (MP: 33 – 39°C)</b>
B	Rosehip Oil	Rosa Canina Fruit Oil	5.00	Plant Oil
<b>B</b>	<b>SOFTISAN® conditionHAIR</b>	<b>PCA Glyceryl Oleate</b>	<b>2.00</b>	<b>Universal Skin Conditioner, Moisturizing</b>
<b>B</b>	<b>SOFTISAN® 649</b>	<b>Bis-Diglyceryl Polyacyladipate-2</b>	<b>2.00</b>	<b>Film-Forming, Moisturizing, Skin Barrier Protecting</b>
B	Cosphaderm® T-70 Non GMO Eco	Helianthus Annuus Seed Oil (and) Tocopherol	0.20	Antioxidant
C	Peony Extract	Helianthus Annuus Hybrid Oil (and) Paeonia Officinalis Flower Extract	1.00	Plant Extract

## PROCESS

1. Mix phase A and stir until all pigments are fully wetted
2. Melt (60°C) and stir SOFTISAN® 378 prior use
3. Weigh phase B
4. Add phase B to A and heat (80°C) and stir
5. Fill into mold/packaging @ 75°C

## FORMULA DATA

**Appearance:** Light goldenpeachy balm

**pH:** n.a.

**Viscosity:** n.a.

**Stability test:** Passed (3 months @ 20 & 40°C, 1 month @ 50°C)

**Aw test:** Passed (<0.75, according to ISO 29621)



**IOI OLEOCHEMICAL**  
personalcare@ioioleo.de

V1.0