



IOI OLEOCHEMICAL



No FOMO Scrub Paste

FOMO*? No more! Your daily ritual not to miss out on yourself and calm down after work

De-stressing easy-to-rinse scrub paste with lush and creamy texture



*FOMO = Fear of missing out

**Natural
Origin
Content**
(ISO 16128)
96%



No FOMO Scrub Paste

No.: 854

PHASE	TRADE NAME	INCI	%	FUNCTION
A	Water demin.	Aqua	43.75	Diluent
A	Glycerin	Glycerin	3.00	Humectant
A	SCI Powder	Sodium Cocoyl Isethionate	15.00	Surfactant
A1	IMWITOR® PG3 C10	Polyglyceryl-3 Caprate	3.00	Co-Surfactant with Refatting Effect
A1	Potassium Sorbate	Potassium Sorbate	0.40	
A1	Sodium Benzoate	Sodium Benzoate	0.40	
B	IMWITOR® 375	Glyceryl Citrate/Lactate/Linoleate/Oleate	3.00	Mild Emulsifier
B	Kahlwax 6614 Tea Wax	Camellia Sinensis Leaf Wax	3.00	Consistency Agent
B	Kahlwax 6279L Myrica Fruit Wax	Myrica Cerifera Fruit Wax	12.80	Consistency Agent
B	SOFTISAN® 142	Hydrogenated Coco-Glycerides	3.00	Solid Lipid & Consistency Agent
B	MIGLYOL® 829 ECO	Caprylic/Capric/Succinic Triglyceride	6.00	Luxurious Low Diffusing Emollient
B	Cosphaderm® T-70 Non GMO Eco	Helianthus Annuus Seed Oil (and) Tocopherol	0.20	Antioxidant
B	Keltrol® CGT	Xanthan Gum	0.20	Gelling Agent
C	Hemp Oil	Cannabis Sativa Seed Oil	4.00	Plant Oil
C	Fossil Peeling Powder	Diatomaceous Earth	1.50	Exfoliating Agent
C	C91-6153 INTENZA® Blue Chambray (20% aqueous solution)	Aqua (and) Synthetic Fluorphlogopite (and) CI 42090	0.75	Color
C	Citric Acid	Citric Acid	q.s.	pH Adjustment

PROCESS

1. Heat phase A to 80 - 85°C and phase B to 75°C
2. Add phase A1 to phase A
3. Add phase A to B and homogenize (3 min at 12.000 rpm)
4. Allow to cool down under stirring
5. Add phase C below 40°C
6. Adjust pH to pH 5.3 if necessary

FORMULA DATA

pH:	5.0 - 5.5
Viscosity:	450.000 mPas (Sp 93/ 2,5 rpm)
Stability test:	Passed (stable for three months at 20°C & 40°C)
Challenge test:	Passed

