

LIGHT²RICH TRANSFORMER LOTION

No. 812

Phase	Trade Name	INCI	%	Function
A	IMWITOR® 600	Polyglyceryl-3 Polyricinoleate	4.0	W/O Emulsifier
A	SOFTIGEN®PURA	Caprylic/Capric Triglyceride (and) Hydrogenated Rapeseed Oil	2.0	Skin Protector
A	MIGLYOL® T-C7	Triheptanoin	5.0	Light Emollient
A	MIGLYOL® 8810	Butylene Glycol Dicaprylate/Dicaprate	5.0	Light Emollient
A	SOFTISAN® conditionHAIR	PCA Glyceryl Oleate	0.3	Skin Conditioning Agent
A	Shea Butter	Butyrospermum Parkii (Shea) Butter	2.0	Emollient
A	6607L Sunflower Seed Wax	Helianthus Annuus (Sunflower) Seed Cera (and) Ascorbyl Palmitate (and) Tocopherol	0.8	Wax
A	Nafol® 1618 H	Cetearyl Alcohol	2.5	Consistency Wax
B	Water demin.	Aqua	71.0	Diluent
B	Glycerin	Glycerin	4.0	Humectant
B	Keltrol® CG-SFT	Xanthan Gum	0.6	Gelling Agent
B	Euxyl® PE 9010	Phenoxyethanol (and) Ethylhexylglycerin	1.0	Preservative
C	Plantapon® LGC SORB	Sodium Lauryl Glucose Carboxylate (and) Lauryl Glucoside	1.5	Surfactant
D	0798185 White Flair	Parfum (EU)/ Fragrance (US)	0.3	Parfum



IOI OLEOCHEMICAL

IOI Oleo GmbH
PERSONAL CARE

Visit us at www.ioioleo.de or send us an e-mail to personalcare@ioioleo.de
IOI Oleo GmbH – Herrengraben 31 – 20459 Hamburg, Germany - +49 40 280 031 0

Preparation

1. Mix phase B until Xanthan Gum is completely dissolved
2. Add phase C to phase B under stirring
3. Heat phase A and phase B/C to 80°C
4. Add phase A to phase B/C and homogenize (3 min @ 5.000-8.000 rpm)
5. Cool down to 30-40°C while stirring
6. Add phase D and mix until homogenous

Suppliers

IOI Oleo	IMWITOR®, MIGLYOL®, SOFTIGEN®, SOFTISAN®
Sasol	NAFOL®
KahlWax	Sunflower Seed Wax
CP Kelco	KELTROL®
Schülke & Mayr	euxyl®
BASF	PLANTAPON®
Bell	Parfum

TRANSFORMING

Stable for three months @ 40°C

LIGHT

CARING



IOI OLEOCHEMICAL

IOI Oleo GmbH
PERSONAL CARE

Visit us at www.ioioleo.de or send us an e-mail to personalcare@ioioleo.de
IOI Oleo GmbH – Herrengraben 31 – 20459 Hamburg, Germany - +49 40 280 031 0