

HAIR & SCALP HYDRATING MASK

No. 814

Phase	Trade Name	INCI	%	Function
A1	Sucrathix® VX	Microcrystalline Cellulose (and) Cellulose Gum (and) Xanthan Gum	1.3	Gelling Agent
A	Glycerin	Glycerin	10.0	Humectant
A	Water demin.	Aqua	59.1	Diluent
B	NAFOL® 1618H	Cetearyl Alcohol	4.0	Consistency Agent
B	NACOL® 22-98	Behenyl Alcohol	1.0	Consistency Agent
B	SOFTISAN® 649	Bis-Diglyceryl Polyacyladipate-2	2.4	Film Forming Agent
B	IMWITOR® 372 P	Glyceryl Stearate Citrate	4.0	O/W Emulsifier
B	WITARIX® MCT C8 pure coconut	Tricaprylin	5.0	Transforming Emollient
B	SOFTISAN® conditionHAIR	PCA Glyceryl Oleate	6.0	Skin & Hair Conditioning Agent
B	MIGLYOL® 8810	Butylene Glycol Dicaprylate/Dicaprate	5.0	Light Emollient
B	Shea Butter	Butyrospermum Parkii (Shea) Butter	1.0	Emollient
C	euxyl® PE 9010	Phenoxyethanol (and) Ethylhexylglycerin	1.0	Preservative
C	Milch & Vanille 30213984	Parfum (EU)/ Fragrance (US)	0.2	Parfum



IOI OLEOCHEMICAL

IOI Oleo GmbH
PERSONAL CARE

Visit us at www.ioioleo.de or send us an e-mail to personalcare@ioioleo.de
IOI Oleo GmbH – Herrengraben 31 – 20459 Hamburg, Germany - +49 40 280 031 0

Preparation

1. Disperse Sucrathix in phase A under stirring and heat to 80°C.
2. Heat phase B to 80°C.
3. Add phase B to phase A under constant stirring till the mixture reached 40°C.
4. Add phase C to phase A/B and homogenize (3 min @12.000 rpm)
5. Adjust the pH to pH 4.0-4.5 if necessary.

Suppliers

IOI Oleo

Sasol

Alchemy Ingredients

Schülke & Mayr

drom

IMWITOR®, MIGLYOL®, SOFTISAN®, WITARIX®

NAFOL®, NACOL®

Sucrathix®

euxyl®

Parfum

HEALTHY SCALP

NO BUILD UP

CONDITIONED HAIR

Stable for three months @ 40°C



IOI OLEOCHEMICAL

IOI Oleo GmbH
PERSONAL CARE

Visit us at www.ioioleo.de or send us an e-mail to personalcare@ioioleo.de
IOI Oleo GmbH – Herrengraben 31 – 20459 Hamburg, Germany - +49 40 280 031 0